

Canon imageRUNNER Advance iR1643i Monochrome Laser Photocopier

Sale Price: 124000.0

PRODUCT ID: 0014378

Printing Features	
Print Speed	Up to 45 ppm (Letter); Up to 36 ppm (Legal)
Warm-Up Time	From Power On: 14 Seconds or Less From Sleep Mode: 4 Seconds or Less
First Printout Time	Approx. 5.7 Seconds
Resolution	600 × 600
Print Technology	Monochrome Laser
Interface	Network (Standard): 1000Base-T/100Base-TX/10Base-T, Wireless LAN (IEEE 802.11 b/g/n), NFC,1 Wi-Fi Direct Connection Others (Standard): USB 2.0 (Host) x2, USB 2.0 (Device) x1
Others	Other Features: Suspend Job Timeout, Profile Settings, Secure Print, Header/ Footer, Page Layout, Two-sided Printing, Collating, Booklet Printing, Grouping, Mixed Paper Sizes/Orientations, Front/ Back Covers, Toner Reduction, Poster Printing
Paper Handling	
Sizes	(3" x 5" to 8-1/2" x 14"), Envelope (C5/DL/ COM-10/Monarch)
Types	Cassette: Letter, Legal, Statement, Executive Bypass: Letter, Legal, Statement, Executive, Custom size
Weight	Cassette: 16 lb. Bond to 32 lb. Bond (60 to 120 g/m2) Bypass: 16 lb. Bond to 73 lb. Cover (60 to 199 g/m2)
Input Capacity	Paper Sources (Letter, 20 LB. Bond): Standard: 550-sheet Paper Cassette, 100-sheet Stack Bypass Optional: 550-sheet PAPER FEEDER PF-C1 (up to 3) Maximum: 2,300 Sheets
Output capacity	150 Sheets(Max.)
Copying Features	
Copy Speed	Up to 45 ppm (Letter); Up to 36 ppm (Legal)
First-Copy-Out-Time	As fast as 6.0 Seconds (via Platen)

Maximum Number of Copies	Up to 999
Interface	Network (Standard): 1000Base-T/100Base-TX/10Base-T, Wireless LAN (IEEE 802.11 b/g/n), NFC,1 Wi-Fi Direct Connection Others (Standard): USB 2.0 (Host) x2, USB 2.0 (Device) x1
Zoom	25% - 400% (1% Increments) from Platen Glass
Others	Basic Copy Features: Preset R/E Ratios by Area, Paper Setting, Favorite Setting, Two-Sided, Density Adjustment, Original Type Selection Special Copy Features: Two-sided Original, Sort, Job Build, N on 1, Different Size Originals, Density Adjustment, Original Type Selection, Sharpness, Erase Frame, Copy ID Card
Scan Features	
Connectivity	Network (Standard): 1000Base-T/100Base-TX/10Base-T, Wireless LAN (IEEE 802.11 b/g/n), NFC,1 Wi-Fi Direct Connection Others (Standard): USB 2.0 (Host) x2, USB 2.0 (Device) x1
Resolution	Up to 600 x 600
Speed	300 dpi- Simplex: Up to 38ipm (BW)/ 13ipm (Color) / Duplex: Up to 70ipm (BW)/ 26 (Color) 600 dpi- Simplex: Up to 21 ipm (BW) / Duplex: Up to 35 ipm (BW)
Max Document Size	4-1/8" x 5" to 8-1/2" x 14"
Physical Specification	
Color	White
Dimensions (W x D x H)	494 mm x 465 mm x 452 mm
Weight	19 kg
Voltage	Power Requirements: 120-127 V, 60 Hz, 7.1 A
Fax	
Memory capacity:	1.0 GB RAM
Modem speed:	Super G3: 33.6 Kbps G3: 14.4 Kbps
Resolution:	400 x 400, 200 x 400, 200 x 200, 200 x 100
Transmission speed:	Maximum Number Of Works: One
Warranty Information	
Warranty	01 Year Service Warranty (No Parts Warranty)

Cartridge/ Toner Model No.	T06 Black (All-In-One Toner Cartridge) (Please make sure your existing & mentioned toner/cartridge/ink bottle models are the same before buying a new one)